European Journal of Pharmacology, 184 (1990) 341–343
Elsevier

Author index

Aaronson, P., see Rusko, J. (184) 325
Abe, M.T., see Nakahata, N. (184) 233
Alberts, P.
A new H-oxime restores rat diaphragm contractility after esterase inhibition in vitro (184) 191
Amdur, R.L., see Carvey, P.M. (184) 43
Angus, J.A., see Pruneau, D. (184) 127
Aristegui, P.M. and Enero, M.A.
Endothelium and Ca^{2+} in the prostaglandin $F_{2\alpha}$ potentiation of vasoconstrictor responses (184) 1
Arnaudeau, S., see Mironneau, J. (184) 315

Barnes, P.J., see Stretton, C.D. (184) 333
Bauer, V., see Rusko, J. (184) 325
Belvisi, M.G., see Stretton, C.D. (184) 333
Berdeaux, A., see Gérard, J.-L. (184) 321
Bilski, J., see Piotrowski, J. (184) 55
Boja, J.W., Carroll, F.I., Rahman, M.A., Philip, A., Lewin, A.H. and Kuhar, M.J.
New, potent cocaine analogs: ligand binding and transport studies in rat striatum (184) 329
Bolton, T.B., see Rusko, J. (184) 325
Borgers, M., see Lu, H.R. (184) 65
Bouysset, F., see Vayssettes-Courchay, C. (184) 75
Braga, P.C.
Ketoprofen: i.c.v. injection and electrophysiological aspects of antinociceptive effect (184) 273
Bristow, D.R., Moratalla, R. and Martin, I.L.
Flunitrazepam increases the affinity of the $GABA_A$ receptor in cryostat-cut rat brain sections (184) 339
Brooks, D.P., Goldstein, R., Koster, P.F., DePalma, P.D., DiCristo, M., Karpinski, K. and Hyneck, M.
Effect of fenoldopam in dogs with spontaneous renal insufficiency (184) 195
Burcher, E., see Lew, R. (184) 97

Carroll, F.I., see Boja, J.W. (184) 329
Carvey, P.M., Nath, S.T., Kao, L.C., Zhang, T.J., Lin, D.H., Singh, R., Amdur, R.L. and Klawans, H.L.
Clozapine fails to prevent the development of haloperidol-induced behavioral hypersensitivity in a cotreatment paradigm (184) 43
Chang, F.-C., see Gean, P.-W. (184) 213
Chou, S.-M., see Gean, P.-W. (184) 213
Chow, K.-Y., see Kline, R.L. (184) 109
Couture, R., see Jacques, L. (184) 9
Cox, H.M., see Ferrar, J.A. (184) 295
Crabbe, J.C., see Valverius, P. (184) 185
Cuthbert, A.W., see Ferrar, J.A. (184) 295

Daló, N.L. and Larson, A.A.
Effects of urethane and ketamine on substance P- and excitatory amino acid-induced behavior in mice (184) 173
Damase-Michel, C., Montastruc, J.-L., Tran, M.-A., Gharib, C., Geelen, G. and Montastruc, P.
Involvement of vasopressin in the cardiovascular effects of quinpirole (184) 179
Davies, M., see Fletcher, P.J. (184) 265
DeLanney, L.E., see Finnegan, K.T. (184) 119
DePalma, P.D., see Brooks, D.P. (184) 195
DiCristo, M., see Brooks, D.P. (184) 195
Drapeau, G., see Lew, R. (184) 97
Dvorak, D.R., see Van der Valk, J.B.F. (184) 143
Dyer, D.C., see Zhang, L. (184) 281

East, S.J. and Garthwaite, J.
Nanomolar N^G-nitroarginine inhibits NMDA-induced cyclic GMP formation in rat cerebellum (184) 311
Enero, M.A., see Aristegui, P.M. (184) 1
Erdö, S.L.
Baclofen binding sites in rat kidney (184) 305

Fedele, E., see Raiteri, M. (184) 239
Feller, D.R., see Shams, G. (184) 21
Feller, D.R., see Shams, G. (184) 251
Ferrar, J.A., Cuthbert, A.W. and Cox, H.M.
The antisecretory effects of somatostatin and analogues in rat descending colon mucosa (184) 295
Finnegan, K.T., Skratt, J.J., Irwin, I., DeLanney, L.E. and Langston, J.W.
Protection against DSP-4-induced neurotoxicity by deprenyl is not related to its inhibition of MAO B (184) 119
Flameng, W., see Lu, H.R. (184) 65
Fletcher, P.J. and Davies, M.
Dorsal raphe microinjection of 5-HT and indirect 5-HT agonists induces feeding in rats (184) 265
Fontana, G., see Raiteri, M. (184) 239
Fukuchi, S., see Mizuno, K. (184) 169

Garthwaite, J., see East, S.J. (184) 311
Gean, P.-W., Chou, S.-M. and Chang, F.-C.
Epileptiform activity induced by 4-aminopyridine in rat amygdala neurons: the involvement of N-methyl-D-aspartate receptors (184) 213
Geelen, G., see Damase-Michel, C. (184) 179
Geraghty, D.P., see Lew, R. (184) 97
Gérard, J.-L., Berdeaux, A. and Giudicelli, J.-F.
Cardiac and hemodynamic effects of S(−)- and (R(+)-DPI 201-106 and of racemic DPI 201-106 in conscious dogs (184) 321

0014-2999/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Gerhardt, M.A., see Shams, G. (184) 21
Gharib, C., see Damase-Michel, C. (184) 179
Giudicelli, J.-F., see Gérard, J.-L. (184) 321
Goldstein, R., see Brooks, D.P. (184) 195
Grazyl, B., see Shams, G. (184) 251
Gundlach, A.L., Rutherfurd, S.D. and Louis, W.J.
Increase in galanin and neuropeptide Y mRNA in locus coeruleus following acute reserpine treatment (184) 163

Hall, S. and Pennefather, J.N.
Actions of forskolin and isoprenaline on the separated myometrial layers of the guinea-pig uterus: influence of ovarian steroids and pregnancy (184) 33
Hamano, S., see Komatsu, H. (184) 87
Harrold, M.W., see Shams, G. (184) 21
Harrold, M.W., see Shams, G. (184) 251
Hasegawa, Y., Kurachi, M. and Otomo, S.
Dopamine D_2 receptors and spinal cord excitation in mice (184) 207
Hoffman, P.L., see Valverius, P. (184) 185
Howard, S.G., see Walters, D.E. (184) 257
Hyneck, M., see Brooks, D.P. (184) 195

Ikeda, S., see Komatsu, H. (184) 87
Inagami, T., see Mizuno, K. (184) 169
Irwin, I., see Finnegan, K.T. (184) 119
Ishida, M., see Nakagawa, Y. (184) 205
Ishihara, T., see Nakagawa, Y. (184) 205
Itoh, Y., see Oishi, R. (184) 135

Jacques, L. and Couture, R.
Studies on the vascular permeability induced by intrathecal substance P and bradykinin in the rat (184) 9
Jmari, K., see Mironneau, J. (184) 315

Kao, L.C., see Carvey, P.M. (184) 43
Karpinski, K., see Brooks, D.P. (184) 195
Kikuchi, S., see Komatsu, H. (184) 87
Klawans, H.L., see Carvey, P.M. (184) 43
Kline, R.L., Chow, K.-Y. and Mercer, P.F.
Does enhanced sympathetic tone contribute to angiotensin II hypertension in rats? (184) 109
Kojima, M., see Komatsu, H. (184) 87
Komatsu, H., Takehana, Y., Kikuchi, S., Kojima, M., Hamano, S., Kusama, H., Okegawa, T. and Ikeda, S.
Effect of a thromboxane A_2 synthetase inhibitor (OKY-046 · HCl) on airway hyperresponsiveness in guinea pigs (184) 87
Koster, P.F., see Brooks, D.P. (184) 195
Kuhar, M.J., see Boja, J.W. (184) 329
Kurachi, M., see Hasegawa, Y. (184) 207
Kusama, H., see Komatsu, H. (184) 87
Kuypers, G., see Paul, I.A. (184) 203

Langston, J.W., see Finnegan, K.T. (184) 119
Larson, A.A., see Daló, N.L. (184) 173
Laubie, M., see Vayssettes-Courchay, C. (184) 75

Lew, R., Geraghty, D.P., Drapeau, G., Regoli, D. and Burcher, E.
Binding characteristics of [^{125}I]Bolton-Hunter [Sar^9, Met(O_2)^{11}]substance P, a new selective radioligand for the NK1 receptor (184) 97
Lewin, A.H., see Boja, J.W. (184) 329
Lin, D.H., see Carvey, P.M. (184) 43
Louis, W.J., see Gundlach, A.L. (184) 163
Lu, H.R., Vandeplassche, G., Wouters, L., Flameng, W. and Borgers, M.
Effects of β-adrenoceptor antagonists on cardiac function in ischemic-reperfused myocardium of the isolated working rabbit heart (184) 65

Martin, C., see Mironneau, J. (184) 315
Martin, I.L., see Bristow, D.R. (184) 339
Mercer, P.F., see Kline, R.L. (184) 109
Miller, D.D., see Shams, G. (184) 21
Miller, D.D., see Shams, G. (184) 251
Mironneau, C., see Mironneau, J. (184) 315
Mironneau, J., Martin, C., Arnaudeau, S., Jmari, K., Rakotoarisoa, L., Sayet, I. and Mironneau, C.
High-affinity binding sites for [^{3}H]saxitoxin are associated with voltage-dependent sodium channels in portal vein smooth muscle (184) 315
Mizuno, K., Niimura, S., Tani, M., Fukuchi, S. and Inagami, T.
Effect of delapril hydrochloride on angiotensin II release from isolated rat hind legs (184) 169
Montastruc, J.-L., see Damase-Michel, C. (184) 179
Montastruc, P., see Damase-Michel, C. (184) 179
Moratalla, R., see Bristow, D.R. (184) 339
Morgan, I.G., see Van der Valk, J.B.F. (184) 143

Nakagawa, Y., Saitoh, K., Ishihara, T., Ishida, M. and Shinozaki, H.
(2S,3S,4S)α-(Carboxycyclopropyl)glycine is a novel agonist of metabotropic glutamate receptors (184) 205
Nakahata, N., Sato, K., Abe, M.T. and Nakanishi, H.
ONO NT-126 is a potent and selective thromboxane A_2 antagonist in human astrocytoma cells (184) 233
Nakanishi, H., see Nakahata, N. (184) 233
Nath, S.T., see Carvey, P.M. (184) 43
Niimura, S., see Mizuno, K. (184) 169
Nishibori, M., see Oishi, R. (184) 135
Nishikawa, H., see Piotrowski, J. (184) 55
Nomoto, T., see Uchida, Y. (184) 223

Oishi, R., Nishibori, M., Itoh, Y., Shishido, S. and Saeki, K.
Is monoamine turnover in the brain regulated by histamine H_3 receptors? (184) 135
Okegawa, T., see Komatsu, H. (184) 87
Otomo, S., see Hasegawa, Y. (184) 207

Paul, I.A., Kuypers, G., Youdim, M. and Skolnick, P.
Polyamines non-competitively inhibit [^{3}H]3-PPP binding to sigma receptors (184) 203

Pennefather, J.N., see Hall, S. (184) 33
Pfeilschifter, J.
Angiotensin II B-type receptor mediates phosphoinositide hydrolysis in mesangial cells (184) 201
Philip, A., see Boja, J.W. (184) 329
Piotrowski, J., Bilski, J., Nishikawa, H., Slomiany, A. and Slomiany, B.L.
Enhancement in gastric mucus gel qualities with colloidal bismuth subcitrate administration (184) 55
Pruneau, D. and Angus, J.A.
Apparent vascular to cardiac sympatholytic selectivity of ω-conotoxin GVIA in the pithed rat (184) 127

Rahman, M.A., see Boja, J.W. (184) 329
Raiteri, M., Fontana, G. and Fedele, E.
Glycine stimulates [^{3}H]noradrenaline release by activating a strychnine-sensitive receptor present in rat hippocampus (184) 239
Rakotoarisoa, L., see Mironneau, J. (184) 315
Regoli, D., see Lew, R. (184) 97
Romstedt, K.J., see Shams, G. (184) 21
Rusko, J., Bolton, T.B., Aaronson, P. and Bauer, V.
Effects of phenylephrine in single isolated smooth muscle cells of rabbit and guinea pig taenia caeci (184) 325
Rutherfurd, S.D., see Gundlach, A.L. (184) 163

Saeki, K., see Oishi, R. (184) 135
Saitoh, K., see Nakagawa, Y. (184) 205
Sato, K., see Nakahata, N. (184) 233
Sayet, I., see Mironneau, J. (184) 315
Schmitt, H., see Vayssettes-Courchay, C. (184) 75
Shams, G., Harrold, M.W., Grazyl, B., Miller, D.D. and Feller, D.R.
Pharmacological evaluation of the β-adrenoceptor agonist properties of N-benzyl substituted trimetoquinol analogues (184) 251
Shams, G., Romstedt, K.J., Gerhardt, M.A., Harrold, M.W., Miller, D.D. and Feller, D.R.
Pharmacological evaluation of the β-adrenoceptor agonist and thromboxane receptor blocking properties of 1-benzyl substituted trimetoquinol analogues (184) 21
Shinozaki, H., see Nakagawa, Y. (184) 205
Shishido, S., see Oishi, R. (184) 135
Singh, R., see Carvey, P.M. (184) 43
Skolnick, P., see Paul, I.A. (184) 203
Skratt, J.J., see Finnegan, K.T. (184) 119
Slomiany, A., see Piotrowski, J. (184) 55
Slomiany, B.L., see Piotrowski, J. (184) 55
Stretton, C.D., Belvisi, M.G. and Barnes, P.J.
Sensory nerve depletion potentiates inhibitory non-adrenergic, non-cholinergic nerves in guinea-pig airways (184) 333

Tabakoff, B., see Valverius, P. (184) 185
Takehana, Y., see Komatsu, H. (184) 87
Tani, M., see Mizuno, K. (184) 169
Tran, M.-A., see Damase-Michel, C. (184) 179

Uchida, Y. and Nomoto, T.
Intravenously infused adenosine increases the blood flow to brown adipose tissue in rats (184) 223

Valverius, P., Crabbe, J.C., Hoffman, P.L. and Tabakoff, B.
NMDA receptors in mice bred to be prone or resistant to ethanol withdrawal seizures (184) 185
Van den Berg, R.J., see Van Erp, M.G. (184) 151
Vandeplassche, G., see Lu, H.R. (184) 65
Van der Valk, J.B.F., Morgan, I.G. and Dvorak, D.R.
Identification of kainic and quisqualic acid receptors on inner retinal cells of the salamander *Ambystoma mexicanum* (184) 143
Van Dongen, A.M.J., see Van Erp, M.G. (184) 151
Van Erp, M.G., Van Dongen, A.M.J. and Van den Berg, R.J.
Voltage-dependent action of valproate on potassium channels in frog node of Ranvier (184) 151
Vayssettes-Courchay, C., Bouysset, F., Verbeuren, T.J., Laubie, M. and Schmitt, H.
The cardiovascular effects of quipazine are mediated by peripheral 5-HT_2 and 5-HT_3 receptors in anaesthetized rats (184) 75
Verbeuren, T.J., see Vayssettes-Courchay, C. (184) 75

Walters, D.E. and Howard, S.G.
The D_1 agonist SKF 38393 increases dopamine release in the developing rat striatum (184) 257
Wouters, L., see Lu, H.R. (184) 65

Youdim, M., see Paul, I.A. (184) 203

Zhang, L. and Dyer, D.C.
Receptor mechanisms for 5-hydroxytryptamine (5-HT) in isolated ovine umbilical vein (184) 281
Zhang, T.J., see Carvey, P.M. (184) 43